

# TRANSPORT & HEAVY MACHINERY PLATFORMS SECTION 03

TRUCK LOADING PLATFORMS	39 - 44
TRUCK EDGE PROTECTION	45
LOADER PLATFORMS	46 - 48
BRIDGE DECK PLATFORMS	49
RAIL MAINTENANCE PLATFORMS	50
BUS MAINTENANCE PLATFORMS	51



# TRUCK LOADING PLATFORMS




## ALUMINIUM ACCESS PLATFORMS FEATURES & BENEFITS

- Stair access can be exchanged for a step ladder type access for reduced investment
- Comes standard with; fork lifting channels and crane lifting points
- Fully cross braced aluminium frame, creating total rigidity throughout platform
  - Self closing gate at entrance to platform as per as international safety standard requirements
- 200mm heavy duty 500kg rated castors, fully braked and height adjustable through 350mm for uneven ground and to suit various vehicle heights
  - Joining kits allow multiple platforms to be joined together end on end for extended access
  - SWL 500kg, heavy duty
- Provision to attach handrail frame to both sides of the platform
- Anti slide fork lifting sleeves prevent sliding during transportation
- Chain lifting points allow easy relocation on large commercial sites
- Anti slip perforated/swaged deck for superior traction in wet greasy conditions



Position and lock castors. Enter through the gate and onto the deck.




Unload with safety.



SCAN CODE  
TO VIEW VIDEO

CODE	PLATFORM DIMENSIONS & DESCRIPTION
TLP4.0	4000(L) x 700(W) x 1400mm(H) - adjustable castors & stairs one end
TLP6.0	6000(L) x 700(W) x 1400mm(H) - adjustable castors & stairs one end
TLPJK	Joining Kit

NZ 0800 000 448  
sales@safesmartaccess.co.nz



# TRUCK LOADING PLATFORMS

## DOUBLE WIDTH - 1.4M

### FEATURES & BENEFITS

- Platform rests on welded foot plates for superior stability
- Sliding lanyard block for operator safety
- Wind down 200mm solid rubber wheels for easy relocation on all surfaces
- Peace of mind compliance


SELF CLOSING  
SAFETY GATE

LANYARD SLIDING  
BLOCK



COMPLIES  
WITH AS  
1657 : 2013

**EASY TO SET UP AND ADJUST**



Wheel into place



Wind up wheels



Rotate & lock

NZ 0800 000 448  
sales@safesmartaccess.co.nz

**SAFESMART**  
ACCESS  
Reaching new heights


# TRUCK LOADING PLATFORMS



## 16M ALUMINIUM ACCESS PLATFORM WITH LANYARD LINE AND DOUBLE CONNECTION POINTS

### FEATURES & BENEFITS

- All sizes and configurations available
- Additional edge protection on the inside of the stairway
- Lanyard system prevents operator from falling on opposite side of tray




## SAFETY LANYARD LINE IN USE



### PLATFORM DIMENSIONS & DESCRIPTION

16000(L) x 700(W) x 1400mm(H) - adjustable castors & stairs both ends



NZ 0800 000 448  
sales@safesmartaccess.co.nz

 **SAFESMART**  
ACCESS  
Reaching new heights

# TRUCK LOADING PLATFORMS

## FLAT-PACK PLATFORM

### FEATURES & BENEFITS


- **Height adjustable 200mm castors - compensate for uneven ground**
- Can be simply dismantled and flat packed - great for transport and storage
- High tensile aluminium components no corrosion and easy to manoeuvre
- Easy gradient stair access - leaves one hand free to carry tools and equipment
- Cost effective compliance - for peace of mind



**225KG**  
WEIGHT RATING

MADE IN  
**NZ**

COMPLIES  
WITH AS/  
NZS 1576 :  
2010




# TRUCK EDGE PROTECTION

## ALUMINIUM EDGE PROTECTION PANELS

### FEATURES & BENEFITS

- Flat packs for storage & transportation
- Light & easy to use - simply roll up to truck & clip to tie rail
- Suitable for deck heights upto 1.5M
- Bays can be added to allow for longer vehicle decks
- Fast, safe and cost effective truck access

COMPLIES  
WITH AS/  
NZS 4994.1  
: 2009



SIMPLY COUPLES  
AROUND TIE RAIL  
AND BACK TO  
BRACKET

PANELS CAN BE JOINED  
FOR CONTINUOUS  
PROTECTION

EASY ROLL CASTORS

WIDTH	HEIGHT
4.0m	2.5m




NZ 0800 000 448  
sales@safesmartaccess.co.nz


# LOADER PLATFORMS

## UNDERGROUND LOADER PLATFORMS

### FEATURES & BENEFITS


- Aluminium mobile maintenance platforms - simple and fast access to the rear and sides of the machine
- Dimensions and height adjustment - this design can be modified to suit all underground loader models
- Full guardrailing to all platforms - operator safety guaranteed
- Platforms link together to form a continuous work surface - no gaps or trip hazards
- Perforated and swaged deck material - ideal for wet and greasy work conditions
- Heavy duty 500 SWL - will last in harsh mining environments





**500KG**  
WEIGHT RATING

COMPLIES  
WITH AS  
1657 : 2013



NZ 0800 000 448  
sales@safesmartaccess.co.nz

# LOADER PLATFORMS

## ABOVE GROUND & BELOW GROUND LOADERS FEATURES & BENEFITS

- Manufactured from high tensile construction grade aluminium for durability in harsh mining environments
- Standard designs and made to measure custom units available for all major brands of equipment
- Designed to fit "snug" to the equipment being worked on, giving safe unobstructed access



LEIGHTONS  
W.A.



**SOLUTION PROVIDED:**  
Access to hydraulics and front end of underground loaders.

LEIGHTONS  
W.A.



**SOLUTION PROVIDED:**  
Access to front windscreen of wheeled loaders for repairs and maintenance.

# BRIDGE DECK PLATFORMS

## FEATURES & BENEFITS

- Perfect for bridging access over plant and equipment, this system incorporates 2 Heavy Duty platforms and an interlocking bridge
- Can be used without bridge as independent maintenance platforms, or with bridge as a complete system
  - 900mm or 1200mm of height adjustment for many different applications
  - Easily height adjustable using a hand winch and spring locking pins
  - Platforms & bridge fully guardrailed for complete worker safety

CONPLANT  
Ingleburn, 2013

COMPLIES  
WITH AS  
1657 : 2013

SOLUTION PROVIDED:  
Access to front and rear  
windscreens for large  
compactors.



NZ 0800 000 448  
sales@safesmartaccess.co.nz

 **SAFESMART**  
ACCESS  
Reaching new heights

# RAIL MAINTENANCE PLATFORMS

## FEATURES & BENEFITS

- Safe access for washing, repairing and maintenance on trains and carriages



NSW RAIL  
Sydney, 2011



SOLUTION PROVIDED:  
Access to front end of  
trains for repairs and  
maintenance.



# BUS MAINTENANCE PLATFORMS

NZ BUS,  
AUCKLAND



SOLUTION PROVIDED:  
Manufactured a mobile bridging  
platform for roof washing and  
general maintenance.



## FEATURES & BENEFITS

- Fast and safe access to the roof of the bus
- High tensile aluminium, lightweight and strong
- Height adjustable castors to suit various models
- Dimensions can be modified to suit any specification
- Fully welded for durability and strength
- Stair or ladder access available



225KG

MADE IN  
**NZ**

COMPLIES  
WITH AS  
1657 : 2013

NZ 0800 000 448  
sales@safesmartaccess.co.nz

 **SAFESMART**  
ACCESS  
Reaching new heights





334 Main Highway 12,  
Maungaturoto  
New Zealand  
PO Box 62, Maungaturoto  
Northland, New Zealand 0547  
P +64 800 000 448  
F +64 9 431 8110

[www.safesmartaccess.co.nz](http://www.safesmartaccess.co.nz)