

WORK & MAINTENANCE PLATFORMS SECTION 02

MOBILE WORK PLATFORMS	20 - 25
MOBILE HEIGHT ADJUSTABLE PLATFORMS	26 - 33
MAINTENANCE PLATFORMS	34 - 35
MOBILE MAINTENANCE PLATFORMS	36 - 37



MOBILE WORK PLATFORMS



HEAVY DUTY MAINTENANCE PLATFORMS - ALUMINIUM FEATURES & BENEFITS

- Full guardrailing and self locking swing gates for safe fast access to work surfaces
- Built tough with 6261 T6 grade aluminium extrusions
- Perforated & swaged deck and treads for superior traction in wet & greasy conditions
- Large work surface and 225kg SWL for all maintenance requirements
- 200mm solid rubber wheels allow for easy relocation on all terrains

CODE	PLATFORM HEIGHT	PLATFORM SIZE	STEPS
WHDP02	565mm	800 x 800mm	2 Step
WHDP03	850mm	800 x 800mm	3 Step
WHDP04	1130mm	800 x 800mm	4 Step
WHDP05	1400mm	800 x 800mm	5 Step
WHDP06	1700mm	800 x 800mm	6 Step
WHDP07	1970mm	1000 x 1000mm	7 Step
WHDP08	2250mm	1000 x 1000mm	8 Step
WHDP09	2540mm	1000 x 1000mm	9 Step
WHDP10	2828mm	1000 x 1000mm	10 Step
WHDP11	3100mm	1000 x 1000mm	11 Step





NZ 0800 000 448
sales@safesmartaccess.co.nz

MOBILE WORK PLATFORMS



CANTILEVER MAINTENANCE PLATFORMS - ALUMINIUM FEATURES & BENEFITS

- An essential tool for all machinery service workshops
- Allows you to get right into and up against your work area without reaching out from the platform
- Built tough, non-slip perforated deck and aluminium frame
- Swing gate opening for access through the front of the platform
- Full guardrailing and gates for operator safety
- 200mm fully braked, heavy duty castors for easy maneuvering



CODE	PLATFORM HEIGHT	PLATFORM SIZE	STEPS
WHDPC02	565mm	800 x 1800mm	2 Step
WHDPC03	850mm	800 x 1800mm	3 Step
WHDPC04	1150mm	800 x 1800mm	4 Step
WHDPC05	1400mm	800 x 1800mm	5 Step
WHDPC06	1700mm	800 x 1800mm	6 Step
WHDPC07	1970mm	1000 x 2000mm	7 Step
WHDPC08	2250mm	1000 x 2000mm	8 Step
WHDPC09	2540mm	1000 x 2000mm	9 Step
WHDPC10	2828mm	1000 x 2000mm	10 Step
WHDPC11	3100mm	1000 x 2000mm	11 Step

225KG
WEIGHT RATING

**COMPLIES
WITH AS
1657 : 2013**




LIFT UP REAR
SAFETY BAR


SWL & SERIAL
NUMBERED PLATE



FRONT SELF LOCKING
SAFETY SWING GATE



EXTRA LARGE 2M X 1M
PLATFORM FOR OPERATORS
& EQUIPMENT



INSERT COUNTER
WEIGHT

LARGE HEAVY
DUTY 200MM, BRAKED
CASTORS



NZ 0800 000 448
sales@safesmartaccess.co.nz

MOBILE WORK PLATFORMS

STAIR ACCESS PLATFORM FEATURES & BENEFITS

Heavy duty industrial mobile platform for all those situations where serious access is required.

- High grip perforated and swaged deck - no slipping when wet or greasy
- Comfortable 45° stair access - leave a hand free to carry tools
- Fully braked, 200mm diameter castors - easy maneuvering
- Fully guardrailed for operator safety
- Exit gate for access to fixed plant
- Components can be dismantled to assist with transportation




COMPLIES
WITH AS
1657 : 2013



CAN BE MANUFACTURED TO DIFFERENT
HEIGHT PLATFORMS

MOBILE WORK PLATFORMS



NZ 0800 000 448
sales@safesmartaccess.co.nz


SAFESMART
ACCESS
Reaching new heights

MOBILE HEIGHT ADJUSTABLE PLATFORMS

THE ULTIMATE EASY RAISE PLATFORM FEATURES & BENEFITS

- Heavy duty but lightweight high tensile aluminium
- Height adjustable all in one platform
- Incrementally adjustable at 300mm utilising a handwinch - self locks for ultimate safety
- Compact and mobile for easy deployment and manoeuvring
- Cantilever length increases as platform is raised - allows it to 'reach' over obstacles
- Large perforated platform - plenty of storage space and non-skid in slippery conditions
- Full surround handrail system - total operator safety

CODE	PLATFORM HEIGHT	STEPS
WHDPH04	1.13mH - 2.25mH	4-8 Step Platform
WHDPH05	1.4mH - 2.8mH	5-8 Step Platform
WHDPH06	1.7mH - 3.4mH	6-12 Step Platform
WHDPH07	2.0mH - 3.95mH	7-14 Step Platform



COMPLIES
WITH
AS 1657 : 2013
AS/NZS
1576 : 2010

225KG
WEIGHT RATING

COMPACT &
MANEUVERABLE




HIGH GRIP
EXTRUSION STEPS

HIGH STRENGTH ROLLER
BEARING PULLEYS & HD
WIRE ROPE



SIMPLE SPRING PIN
SAFETY LOCKS



HEAVY DUTY,
BRAKED 200MM
CASTORS



NO NONSENSE
SELF-LOCKING
HAND WINCH

NZ 0800 000 448
sales@safesmartaccess.co.nz

 **SAFESMART**
ACCESS
Reaching new heights

MOBILE HEIGHT ADJUSTABLE PLATFORMS

MANUAL SCISSOR PLATFORM FEATURES & BENEFITS

- Total height adjustment - choose the exact level to suit the job and the operator
 - Simple fast hand pump action, little maintenance requirements
- High tensile aluminium - lightweight and strong for easy relocation on and between sites
 - Compact - will fit into tight spots such as lifts
- Fully braked castors and full surround handrails - for operator safety
 - SWL 150kg - one operator and tools/equipment

CODE	PLATFORM DIMENSIONS
MSP	1200(L) x 700(W) x 1400mm(H)

150KG
WEIGHT RATING



MOBILE HEIGHT ADJUSTABLE PLATFORMS

150KG
WEIGHT RATING

COMPLIES
WITH AS
1657 : 2013

MADE IN
NZ

FLOAT DECK FEATURES & BENEFITS

- Compact unit - final platform height can be over 3x base height
- Manual hand winch operated
- Cantilever design allows platform to get in close to work surfaces



Maximum platform height of 4.5m



Clip-on outriggers



Platform removable for transport
- simply unhook platform



Easy manual height
adjustment



Safety mechanism locks
platform in position

NZ 0800 000 448
sales@safesmartaccess.co.nz


 **SAFESMART**
ACCESS
Reaching new heights

MOBILE HEIGHT ADJUSTABLE PLATFORMS


DESKSURFER

FEATURES & BENEFITS

- Height adjustable platform for hard to reach situations
- 900mm out reach platform provides easy access to light fittings and mechanical services
- Designed for hands on facility and maintenance engineers
- Compacts to a mere 650(W) x 1350(L) x 1912mm(H)




Easy to work over office desks



Folds flat for easy storage



Easy to transport




REACH HEIGHT	MIN PLAT HEIGHT	MAX PLAT HEIGHT	MAST UM OR FM	NO. OF OUTRIGGERS
4.2m	0.8575m	2.240m	Upright mast	2
4.3m	0.955m	2.320m	Folding mast	2

MOBILE HEIGHT ADJUSTABLE PLATFORMS

DESKSURFER - BRIDGING SYSTEM FEATURES & BENEFITS

- The desksurfer bridging system joins 2 units end to end
- Provides a height adjustable bridge that can span several metres
- The units must be desksurfer bridging units



NZ 0800 000 448
sales@safesmartaccess.co.nz



MOBILE HEIGHT ADJUSTABLE PLATFORMS


DESKSURFER MAXI FEATURES & BENEFITS

- Base size 680mm x 1250mm
- Platform size 510mm x 825mm
- Minimum platform height 905mm
- Maximum platform height 2005mm
- Platform adjustment 275mm increments



CODE	REACH HEIGHT	MIN PLAT HEIGHT	MAX PLAT HEIGHT	NO. OF OUTRIGGERS
	4m	900mm	2005m	2





HINGING
SAFETY GATE

PLATFORM
SEAT

TOOL TRAY

ROTATING
OUTRIGGERS

LOCKING
CASTORS

NZ 0800 000 448
sales@safesmartaccess.co.nz

MAINTENANCE PLATFORMS

CYLINDER PLATFORMS FEATURES & BENEFITS

- Designed to fit snug around a cylindrical pipe for easy access to control system
- Large platform size allows workers to easily complete maintenance tasks
- Rubber leading edge nosing to protect the plant being accessed



CHAIN LIFTING POINTS






RUBBER BUFFER



WELDED BASE PLATES



ANTI-SLIP LADDER ACCESS



MAINTENANCE PLATFORMS




OIL RIG MAINTENANCE PLATFORM FEATURES & BENEFITS

- Designed to provide access on an oil rig, for the completion of maintenance tasks
- Platform height is adjustable between 0.3 - 1.0M, ensuring it's suitability in a variety of applications
 - Anti slip deck for superior traction in wet greasy conditions
 - Self levelling stairs provide safe access at any point in this height range
- The platform is collapsable allowing for easy transportation and storage

SNAP LOCK GRASPER
GUARDRAILS




HEIGHT ADJUSTMENT
LOCKING PINS



ANTI-SLIP
DECK



SWL SERIAL &
NUMBER PLATE



LIFTING/TOWING
LUGS

225KG
WEIGHT RATING

MADE IN
NZ

COMPLIES
WITH AS
1657 : 2013

NZ 0800 000 448
sales@safesmartaccess.co.nz

 **SAFESMART**
ACCESS
Reaching new heights

MOBILE MAINTENANCE PLATFORMS

FEATURES & BENEFITS

- High tensile 6261 T6 aluminium construction
- Light weight and strong
- Easily manoeuvred into position
- Platform dimensions can be modified for any specific application
- Manual winch for simple and safe height adjustment
- Unique multi-positional stairway
- Fully welded for durability



BRANZ NZ
Wellington, Feb 2013



SOLUTION PROVIDED:
Access for fixing cladding to
false walls for conducting fire
tests. Walls varied in size.



Stair can be attached at 90° to the platform to suit specific site requirements.

MOBILE MAINTENANCE PLATFORMS

HEIGHT ADJUSTABLE PLATFORM FEATURES & BENEFITS

- Safe access to the top of fixed and mobile plant including tanker trucks
 - Geared ratchet for easy height adjustment
- Telescopic handrails provides complete edge protection for operator when accessing top of vehicle
 - Cantilever design allows the operator to quickly and safely access the exact location required


TELESCOPIC
HANDRAIL



1M CANTILEVER
SECTION



HEIGHT ADJUSTABLE,
FULLY BRAKED
CASTORS



INTEGRATED
STAIRWAY



225KG
WEIGHT RATING

MADE IN
NZ

COMPLIES
WITH AS
1657 : 2013

NZ 0800 000 448
sales@safesmartaccess.co.nz

 **SAFESMART**
ACCESS
Reaching new heights



334 Main Highway 12,
Maungaturoto
New Zealand
PO Box 62, Maungaturoto
Northland, New Zealand 0547
P +64 800 000 448
F +64 9 431 8110

www.safesmartaccess.co.nz